ELSEVIER

Nuclear Physics A 680 (2001) 351c–355c

NUCLEAR PHYSICS A

www.elsevier.nl/locate/npe

Author index

Adams, G.S., T. Adams, Z. Bar-Yam, J.M. Bishop, V.A. Bodyagin, B.B. Brabson, D.S. Brown, N.M. Cason, S.U. Chung, R.R. Crittenden, J.P. Cummings, K. Danyo, S. Denisov, V. Dorofeev, J.P. Dowd, A.R. Dzierba, P. Eugenio, J. Gunter, R.W. Hackenburg, M. Hayek, E.I. Ivanov, I. Kachaev, W. Kern, E. King, O.L. Kodolova, V.L. Korotkikh, M.A. Kostin, J. Kuhn, R. Lindenbusch, V. Lipaev, J.M. LoSecco, J.J. Manak, J. Napolitano, M. Nozar, C. Olchanski, A.I. Ostrovidov, T.K. Pedlar, A. Popov, D.R. Rust, D. Ryabchikov, A.H. Sanjari, L.I. Sarycheva, E. Scott, K.K. Seth, N. Shenhav, W.D. Shephard, N.B. Sinev, J.A. Smith, P.T. Smith, D.L. Stienike, T. Sulanke, S.A. Taegar, S. Teige, D.R. Thompson, I.N. Vardanyan, D.P. Weygand, D. White, H.J. Willutzki, J. Wise, M. Witkowski, A.A. Yershov and D. Zhao, Experimental evidence for hadroproduction of exotic mesons **A680** (2001) 335c

Adams, T., see Adams, G.S. **A680** (2001) 335c

Ahlig, S., see Alkofer, R. **A680** (2001) 70c

Alberico, W.M., A. Lavagno and P. Quarati, Non-extensive statistics effects in quark–gluon plasma and in relativistic heavy-ion collisions **A680** (2001) 94c

Alkofer, R., S. Ahlig, C. Fischer and M. Oettel, Kaon photoproduction and form factors in a covariant and confining diquark–quark model for baryons **A680** (2001) 70c

Alkofer, R. and L. von Smekal, The infrared behavior of QCD propagators in Landau gauge **A680** (2001) 133c

Anciant, E., see Battaglieri, M. **A680** (2001) 286c

Audit, G., see Battaglieri, M. **A680** (2001) 286c

Auger, T., see Battaglieri, M. **A680** (2001) 286c

Bar-Yam, Z., see Adams, G.S. **A680** (2001) 335c

Battaglieri, M., E. Anciant, G. Audit, T. Auger, E. Golovach, J.M. Laget, C. Marchand, K. McCormick, V. Mokeev and CLAS collaboration, Photoproduction of vector mesons off the proton at high momentum transfer **A680** (2001) 286c

Baylac, M. and HAPPEX collaboration, Measurement of the strangeness content of the proton through parity-violating electron scattering at JLAB **A680** (2001) 270c

Bertini, R. and DISTO collaboration, New data on spin observables in hyperon production **A680** (2001) 342c

Bhalerao, R.S., Is the polarized antiquark sea in the nuclean flavor symmetric? **A680** (2001) 62c

Bishop, J.M., see Adams, G.S. **A680** (2001) 335c

Bodyagin, V.A., see Adams, G.S. **A680** (2001) 335c

Boffi, S., P. Demetriou,

M. Radici and R.F. Wagenbrunn, Electromagnetic properties of hadrons in a chiral constituent-quark model **A680** (2001) 80c
Boros, C., J.T. Londergan and A.W. Thomas, Spin and flavor dependent structure and production of lambda baryons **A680** (2001) 66c
Brabson, B.B., see Adams, G.S. **A680** (2001) 335c
Brown, D.S., see Adams, G.S. **A680** (2001) 335c

Cao, F.-G., see Signal, A.I. **A680** (2001) 43c
Cason, N.M., see Adams, G.S. **A680** (2001) 335c
Cheon, I.-T., see Yoo, S.Y. **A680** (2001) 163c
Chung, S.U., see Adams, G.S. **A680** (2001) 335c
CLAS collaboration, see Battaglieri, M. **A680** (2001) 286c
Crittenden, R.R., see Adams, G.S. **A680** (2001) 335c
Cummings, J.P., see Adams, G.S. **A680** (2001) 335c

Danyo, K., see Adams, G.S. **A680** (2001) 335c
Delorme, J., M. Ericson, P.A.M. Guichon and A.W. Thomas, Mass reduction as signal of chiral symmetry restoration **A680** (2001) 250c
Demetriou, P., see Boffi, S. **A680** (2001) 80c
Denisov, S., see Adams, G.S. **A680** (2001) 335c
Depommier, P., Search for non-standard time-reversal violation in the $K_{\mu 3}$ decay **A680** (2001) 290c
DISTO collaboration, see Bertini, R. **A680** (2001) 342c
Dorofeev, V., see Adams, G.S. **A680** (2001) 335c
Dowd, J.P., see Adams, G.S. **A680** (2001) 335c
Dzierba, A.R., see Adams, G.S. **A680** (2001) 335c

Eliseev, S.M., $K^{\pm}$-mesons as probes for observing some "EMC-like" effect **A680** (2001) 258c
Ericson, M., see Delorme, J. **A680** (2001) 250c
Eugenio, P., see Adams, G.S. **A680** (2001) 335c

Fischer, C., see Alkofer, R. **A680** (2001) 70c
Forkel, H., F.S. Navarra and M. Nielsen, K^* and nucleon strangeness **A680** (2001) 179c
Fukushima, M., see Toki, H. **A680** (2001) 10c
Furui, S., see Nakajima, H. **A680** (2001) 151c

Gamberg, L., see Weigel, H. **A680** (2001) 48c
Gay Ducati, M.B. and V.P. Gonçalves, The high density QCD and its asymptotic regime **A680** (2001) 141c
Gegelia, J., Three-body system with short-range interactions **A680** (2001) 304c
Goeke, K., P.V. Pobylitsa, M.V. Polyakov and D. Urbano, Polarized antiquark distributions from the chiral quark soliton model: results and parametrization for $\Delta\bar{u}(x)$, $\Delta\bar{d}(x)$ and $\Delta\bar{s}(x)$ **A680** (2001) 308c
Golovach, E., see Battaglieri, M. **A680** (2001) 286c
Gonçalves, V.P., see Gay Ducati, M.B. **A680** (2001) 141c
Guichon, P.A.M., Quark models of nuclear physics **A680** (2001) 229c
Guichon, P.A.M., see Delorme, J. **A680** (2001) 250c
Gunter, J., see Adams, G.S. **A680** (2001) 335c
Guzey, V. and M. Strikman, Nuclear effects in spin structure function $g_{1A}(x, Q^2)$ at small x in deep inelastic scattering on ^{7}Li and ^{3}He **A680** (2001) 316c

Hackenburg, R.W., see Adams, G.S. **A680** (2001) 335c
Hanhart, C., see Speth, J. **A680** (2001) 328c
HAPPEX collaboration, see Baylac, M. **A680** (2001) 270c
Hartig, M. and HERMES collaboration, Diffractive vector meson production at HERMES **A680** (2001) 264c
Hayano, R.S., Experimental studies of deeply bound meson–nucleus states **A680** (2001) 125c
Hayek, M., see Adams, G.S. **A680** (2001) 335c
HERMES collaboration, see Hartig, M. **A680** (2001) 264c
Hosaka, A., Excited baryons in the deformed oscillator quark model **A680** (2001) 167c

Ivanov, E.I., see Adams, G.S. **A680** (2001) 335c

Jacak, B.V., Is the quark gluon plasma in hand? **A680** (2001) 221c
Jakob, R., Connecting generalized parton distributions and light-cone wave functions **A680** (2001) 145c

Kachaev, I., see Adams, G.S. **A680** (2001) 335c
Kambor, J., see Maltman, K. **A680** (2001) 155c
Kanaya, K., Hadronic properties from lattice QCD with dynamical quarks **A680** (2001) 196c
Kern, W., see Adams, G.S. **A680** (2001) 335c
King, E., see Adams, G.S. **A680** (2001) 335c
Kodolova, O.L., see Adams, G.S. **A680** (2001) 335c
Kondratyuk, S. and O. Scholten, Nucleon dressing from dispersion relations **A680** (2001) 175c
Korotkikh, V.L., see Adams, G.S. **A680** (2001) 335c
Kostin, M.A., see Adams, G.S. **A680** (2001) 335c
Krehl, O., see Speth, J. **A680** (2001) 328c
Krein, G. and G.A. Miller, Light-front quark–meson coupling model **A680** (2001) 240c
Krewald, S., see Speth, J. **A680** (2001) 328c
Kroll, P., The b-u skewed parton distributions **A680** (2001) 37c
Kubo, K., High energy hadron spin observables **A680** (2001) 312c
Kuhn, J., see Adams, G.S. **A680** (2001) 335c

Laget, J.M., see Battaglieri, M. **A680** (2001) 286c
Lavagno, A., see Alberico, W.M. **A680** (2001) 94c
Leinweber, D.B. and A.W. Thomas, Theoretical perspective on the nucleon strange magnetic form factor **A680** (2001) 117c
Leinweber, D.B., see Wright, S.V. **A680** (2001) 137c
Lindenbusch, R., see Adams, G.S. **A680** (2001) 335c
Lipaev, V., see Adams, G.S. **A680** (2001) 335c
Londergan, J.T., see Boros, C. **A680** (2001) 66c
LoSecco, J.M., see Adams, G.S. **A680** (2001) 335c
Lu, D.H., see Tsushima, K. **A680** (2001) 280c

Maltman, K., Scalar meson decay and the nature of the $a_0(980)$ **A680** (2001) 171c
Maltman, K. and J. Kambor, Determination of m_s from flavor breaking in hadronic τ decays **A680** (2001) 155c
Manak, J.J., see Adams, G.S. **A680** (2001) 335c
Marchand, C., see Battaglieri, M. **A680** (2001) 286c
Matsufuru, H., see Suganuma, H. **A680** (2001) 159c
McCormick, K., see Battaglieri, M. **A680** (2001) 286c
Melnitchouk, W., Local quark–hadron duality in structure functions **A680** (2001) 52c
Miller, G.A., see Krein, G. **A680** (2001) 240c
Miyamura, O., see Sasaki, N. **A680** (2001) 84c
Mokeev, V., see Battaglieri, M. **A680** (2001) 286c
Morita, K., S. Muroya, H. Nakamura and C. Nonaka, Two-particle correlation from a relativistic fluid with a first order phase transition **A680** (2001) 90c
Muroya, S., see Morita, K. **A680** (2001) 90c
Muroya, S., see Sasaki, N. **A680** (2001) 84c

Nakajima, H. and S. Furui, A test of the Kugo–Ojima confinement criterion by lattice Landau gauge QCD simulations **A680** (2001) 151c
Nakamura, H., see Morita, K. **A680** (2001) 90c
Napolitano, J., see Adams, G.S. **A680** (2001) 335c
Navarra , F.S., see Forkel, H. **A680** (2001) 179c
Nemoto, Y., see Suganuma, H. **A680** (2001) 159c
Nielsen, M., see Forkel, H. **A680** (2001) 179c
Nonaka, C., see Morita, K. **A680** (2001) 90c
Nonaka, C., see Sasaki, N. **A680** (2001) 84c
Nozar, M., see Adams, G.S. **A680** (2001) 335c

Oettel, M., see Alkofer, R. **A680** (2001) 70c
Olchanski, C., see Adams, G.S. **A680** (2001) 335c
Ostrovidov, A.I., see Adams, G.S. **A680** (2001) 335c

Pascalutsa, V., Electromagnetic moments of relativistic higher spin baryons **A680** (2001) 76c
Pedlar, T.K., see Adams, G.S. **A680** (2001) 335c
Phillips, D.R., Probing the effectiveness: chiral perturbation theory calculations of low-energy reactions on the deuteron **A680** (2001) 294c
Piller, G. and W. Weise, Nuclear deep-inelastic scattering **A680** (2001) 108c
Pobylitsa, P.V., see Goeke, K. **A680** (2001) 308c
Polyakov, M.V., see Goeke, K. **A680** (2001) 308c
Popov, A., see Adams, G.S. **A680** (2001) 335c

Quarati, P., see Alberico, W.M. **A680** (2001) 94c

Radici, M., see Boffi, S. **A680** (2001) 80c
Rajagopal, K., Traversing the QCD phase transition:

Quenching out of equilibrium vs. slowing out of equilibrium vs. bubbling out of equilibrium **A680** (2001) 211c
Ribeiro, J.E., π–π scattering and chiral symmetry **A680** (2001) 300c
Rust, D.R., see Adams, G.S. **A680** (2001) 335c
Ryabchikov, D., see Adams, G.S. **A680** (2001) 335c

Saito, K., Nucleon structure effect on the longitudinal response function **A680** (2001) 246c
Saito, K., see Tsushima, K. **A680** (2001) 280c
Sanjari, A.H., see Adams, G.S. **A680** (2001) 335c
Sarycheva, L.I., see Adams, G.S. **A680** (2001) 335c
Sasaki, N., O. Miyamura, S. Muroya and C. Nonaka, A calculation of the transport coefficients of hot and dense hadronic matter based on the event generator URASiMA **A680** (2001) 84c
Scholten, O., see Kondratyuk, S. **A680** (2001) 175c
Scott, E., see Adams, G.S. **A680** (2001) 335c
Seth, K.K., see Adams, G.S. **A680** (2001) 335c
Shenhav, N., see Adams, G.S. **A680** (2001) 335c
Shephard, W.D., see Adams, G.S. **A680** (2001) 335c
Sibirtsev, A., Interactions of charmed mesons with nucleons **A680** (2001) 274c
Sibirtsev, A., see Tsushima, K. **A680** (2001) 280c
Signal, A.I. and F.-G. Cao, Non-perturbative symmetry breaking of parton distributions **A680** (2001) 43c
Sinev, N.B., see Adams, G.S. **A680** (2001) 335c
Smith, E.S., Recent results from Jefferson Lab **A680** (2001) 1c
Smith, J.A., see Adams, G.S. **A680** (2001) 335c
Smith, P.T., see Adams, G.S. **A680** (2001) 335c
Soroko, Z.N., S.I. Sukhoruchkin and D.S. Sukhoruchkin, Spectroscopy of $A = 40$–70 nuclei as part of hadronic physics **A680** (2001) 254c
Speth, J., O. Krehl, S. Krewald and C. Hanhart, The structure of the Roper resonance **A680** (2001) 328c
Stienike, D.L., see Adams, G.S. **A680** (2001) 335c
Strikman, M., see Guzey, V. **A680** (2001) 316c
Suganuma, H., H. Matsufuru, Y. Nemoto and T.T. Takahashi, Three-quark ground-state potential in the $SU(3)$ lattice QCD **A680** (2001) 159c
Suganuma, H., see Toki, H. **A680** (2001) 10c
Sukhoruchkin, D.S., see Soroko, Z.N. **A680** (2001) 254c
Sukhoruchkin, D.S., see Sukhoruchkin, S.I. **A680** (2001) 98c
Sukhoruchkin, S.I. and D.S. Sukhoruchkin, Correlations in nuclear binding energies **A680** (2001) 98c
Sukhoruchkin, S.I., see Soroko, Z.N. **A680** (2001) 254c
Sulanke, T., see Adams, G.S. **A680** (2001) 335c

Taegar, S.A., see Adams, G.S. **A680** (2001) 335c
Takahashi, T.T., see Suganuma, H. **A680** (2001) 159c
Tatsumi, T., see Yasuhira, M. **A680** (2001) 102c
Teige, S., see Adams, G.S. **A680** (2001) 335c
Thomas, A.W., see Boros, C. **A680** (2001) 66c
Thomas, A.W., see Delorme, J. **A680** (2001) 250c
Thomas, A.W., see Leinweber, D.B. **A680** (2001) 117c
Thomas, A.W., see Tsushima, K. **A680** (2001) 280c
Thomas, A.W., see Wright, S.V. **A680** (2001) 137c
Thompson, D.R., see Adams, G.S. **A680** (2001) 335c
Toki, H., H. Suganuma and M. Fukushima, The mechanism of confinement and chiral symmetry breaking in quark nuclear physics **A680** (2001) 10c
Tsushima, K., A. Sibirtsev, K. Saito, A.W. Thomas and D.H. Lu, Effect of changes in meson properties in a nuclear medium: J/Ψ dissociation in nuclear matter, and meson–nucleus bound states **A680** (2001) 280c

Urbano, D., see Goeke, K. **A680** (2001) 308c

van Kolck, U., Effective field theories for strongly interacting systems **A680** (2001) 17c
Vardanyan, I.N., see Adams, G.S. **A680** (2001) 335c
von Smekal, L., see Alkofer, R. **A680** (2001) 133c

Wagenbrunn, R.F., see Boffi, S. **A680** (2001) 80c

Wagner, G.J., Pion–baryon interactions **A680** (2001) 320c
Walcher, T., Latest results from Mainz Microtron MAMI **A680** (2001) 25c
Wegener, D., The parton structure of protons and photons measured at the *ep* storage ring HERA **A680** (2001) 184c
Weigel, H. and L. Gamberg, Hadron structure functions within a chiral quark model **A680** (2001) 48c
Weise, W., see Piller, G. **A680** (2001) 108c
Weygand, D.P., see Adams, G.S. **A680** (2001) 335c
White, D., see Adams, G.S. **A680** (2001) 335c
Williams, A.G., Connections between lattice QCD and hadron phenomenology **A680** (2001) 204c
Willutzki, H.J., see Adams, G.S. **A680** (2001) 335c
Wise, J., see Adams, G.S. **A680** (2001) 335c
Witkowski, M., see Adams, G.S. **A680** (2001) 335c
Wright, S.V., D.B. Leinweber and A.W. Thomas, The sigma commutator from lattice QCD **A680** (2001) 137c

Yasuhira, M. and T. Tatsumi, EOS for kaon condensed matter and delayed collapse of protoneutron stars **A680** (2001) 102c
Yershov, A.A., see Adams, G.S. **A680** (2001) 335c
Ying, S., Virtual color superconductivity and nucleon structure **A680** (2001) 58c
Yoo, S.Y. and I.-T. Cheon, Nonleptonic hyperon decay **A680** (2001) 163c

Zhao, D., see Adams, G.S. **A680** (2001) 335c